

Article-No.: 150778

# exone AIO 23,8" Non-Touch X12

i5-12400T W11Pro

## Technical data

### Processor

manufacturer	Intel®
marking	Core™ i5
type	12400T
cpu socket	FCLGA1700
cores	6
Performance Cores	6
threads	12
clock rate	1,80 GHz
max. clock frequency with Intel® Turbo Boost technology	4,20 GHz
smartCache	18 MB
bit set	64 bit
max. TDP	35 Watt
max. TDP Turbo	74 Watt
processor graphic	Intel® UHD Graphics 730
Intel® Hyper-Threading Technology	yes
Intel® Virtualization Technology (VT-x)	yes

### Operating system

installed operating system	Windows® 11 Pro 64-bit
----------------------------	------------------------

### Main storage

size	16 GB
technology	DDR4 SO-DIMM
form factor	SO-DIMM
connector	260-pole
speed	3200 MHz
tension	1,2 V
clock value	22

### Hard disk

memory capacity	500 GB
type	M.2 2280
interface	M.2 PCIe® 4.0 x4 with max. 64 Gb/s (NVMe®)

### Plug-in card communication

### WiFi usage

Note for wifi usage	The range from 5150 MHz to 5350 MHz of the 5 GHz WLAN band is for indoor use only.
---------------------	--



## Highlights



Article-No.: 150778

# exone AIO 23,8" Non-Touch X12

## i5-12400T W11Pro

manufacturer	Intel®
interface	M.2
WLAN chipset	Intel® Tri Band Wireless AX210 Wi-Fi 6E
WLAN transmission standard	802.11ac
WLAN transmission speed	2.400 MBit
bluetooth chipset	Intel®
bluetooth class	5.3
operating temperature range	0°C to 80°C
width	30
depth	24
high	22
weight	2,8

### AIO Basic System

display	
display size	23.8" (60.45 cm)
dissolution	1,920 x 1,080 pixels (FHD)
aspect ratio	16:9 -Format
display technology	IPS
backlight	LED
display type	anti-glare

mainboard	
form factor	Thin Mini-ITX
plinth	LGA1700
chipset	Intel® H610


storage	
Working memory max.	64 GB
Memory Slots	2
Memory Technology	DDR4 SO-DIMM

hard disk	
hard disk bays	1
frame size	2,5"

optical disc drive	
running gear	absent

graphic	
chart	Intel® UHD Graphics, DirectX12 support (with appropriate CPU)

communication	
Network Chipset	Realtek



Article-No.: 150778

# exone AIO 23,8" Non-Touch X12

## i5-12400T W11Pro

<b>transmission rate</b>	10/100/1000 Mbps
<b>wifi usage</b>	
<b>Note for wifi usage</b>	The range from 5150 MHz to 5350 MHz of the 5 GHz WLAN band is for indoor use only.
<b>Bluetooth</b>	optional
<b>audio/camera</b>	
<b>sound mode</b>	7.1-channel high definition
<b>web camera</b>	1,9 Megapixel Pop-Up Webkamera
<b>interfaces</b>	
<b>USB 3.2 Gen2 (10GBit/s)</b>	2
<b>USB 3.2 Gen1 (5GBit/s)</b>	2
<b>USB 2.0</b>	2
<b>HDMI</b>	1
<b>DisplayPort</b>	1
<b>LAN (RJ-45)</b>	1
<b>audio</b>	line-in, line-out
<b>DC in</b>	yes
<b>expansion slots</b>	
<b>M.2 for SSD</b>	1
<b>advice</b>	for M.2 SSD (1x 2260/2280 SATA/PCIe® x4 4.0)
<b>M.2 for WLAN</b>	1
<b>advice</b>	occupied by WLAN module
<b>safety</b>	
<b>Kensington Lock</b>	yes
<b>general</b>	
<b>Dimensions (WxHxD) Base</b>	230 x 240 x 340 mm
<b>Dimensions (WxHxD) Display</b>	540 x 320 x 54 mm
<b>housing colour</b>	black
<b>VESA</b>	100 x 100 mm, by removing the stand the AIO can be mounted freely
<b>particularity</b>	
<b>device property</b>	tilt and height adjustable, pivot function, turntable
<b>power supply</b>	
<b>power supply</b>	120 Watt, external
<b>Service</b>	
<b>Service</b>	2 years bring-in incl. replacement of parts in advance

Article-No.: 150778

exone AIO 23,8" Non-Touch X12

i5-12400T W11Pro

System

Widening

free internal slots 2.5"	1
-----------------------------	---

Additional software

	free of adware,
additional software	, Microsoft® Office Preload (Buy Office now, get a license right away)

Ambient conditions

operating temperature	5°C to 32°C
atmospheric humidity	10% to 75% (non-condensing)

Certifications

Blue Angel	Our products meet the requirements of the Blue Angel
conformance	CE
grade	EXTRA Computer has a quality management system which is certified according to DIN ISO 9001